# A99-5

## ELECTRIC OBSTETRIC BED



SAIKANG Medical

Healthier
your life

# A99-5

## FEATURES AND HIGHLIGHTS

### Technical parameters

| | |
|---|---|
| ▪ Length×Width | 1955mm×660mm (±10mm) |
| ▪ Lifting range | 685-945mm (±10mm) |
| ▪ Seat plate up folding | ⩾23° |
| ▪ Seat plate down folding | ⩾9° |
| ▪ Back plate up folding | ⩾44° |
| ▪ Back plate down folding | ⩾10° |
| ▪ Leg plate abduction | ⩾90° |
| ▪ Load bearing | ⩾150kg |

### Technical configuration

| | |
|---|---|
| ☑ Arm support | 2 PCS |
| ☑ Handle | 2 PCS |
| ☑ Leg support | 2 PCS |
| ☑ Stirrup | 2 PCS |
| ☑ Armrest square slider | 2 PCS |
| ☑ Legrest fastening device | 2 PCS |
| ☑ Hand controller | 1PC |
| ☑ Foot pedal controller | 1PC |
| ☑ Stainless steel basin | 1PC |

**Material**

The chassis cover is made of high-quality 304 stainless steel by robot seamless welding molding, with an elegant design that ensures both stability and durability.



**Mattress**

The tabletop features seamless upholstery, while the mattress is made of high-density memory foam with a seamless, one-piece molding process. The ergonomic design conforms to the body's natural curves, offering gentle elasticity, easy cleaning, antibacterial properties, and impact resistance.



**Control system**

Equipped with high-quality domestic motors, all operations are controlled by hand controller and foot pedals.



**Braking system**

The braking function of the casters is controlled by the foot pedal.



**Arm Support**

The arm support could be adjusted into multiple angles with the straps, it can be used to comfortably fix the patient's arm at various angles.



**Handle**

Both sides of the delivery bed are equipped with collapsible handle, which is convenient for the patient to get on and off the bed.The handrails are molded with foam for comfort, with anti-slip lines, to prevent slipping when the force is applied. The pink color matches the overall bed.



**Leg Support**

The leg support is integrated with the stirrup function, and the delivery bed is equipped with an independent stirrup.The leg support is equipped with straps for better stabilization.



**Auxiliary Table**

The auxiliary table can be folded 90° outwards, used as an instrument table, detachable, and adapted to a variety of surgical environments.

## Professional functions

Bed surface length
**1955**mm



Height adjustment
**685-945**mm



Seat plate up/down folding
**9°-23°**



Leg plate abduction
**⩾90°**



Back plate up/down folding
**10°-44°**



Load Bearing
**⩾150kg**



**Product video (scan / press QR code)**



## CONSTANT INNOVATION



Design



Research



Manufacturing



Maintenance



Service

## WORLDWIDE BRANCHES

### South America Branch

**Saikang Medical Technology, Inc**
W3400 Corrientes, Argentina
TEL: +55 (11) 2758-0438
Rua Universal, Hollywood,
São Bernardo do Campo,
Brazil
TEL: +55 (11) 2758-0438

### East Africa Branch

**Saikang Medical Technology Ltd**
Mezzanine Floor, Taj Tower,
upper hill, nairobi, Kenya
TEL: +254714084806

### South East Asia Branch

**Saikang Medical (Philippines) Company Limited**
Manila, The Philippines
TEL: +63 953 044 7864

### US Branch

**Healthward Technology, INC**
I7800 CASTLETON ST STE 180.
CITY OF INDUSTRY CA 91748
TEL: +1 (603)416-3063

### Russia Branch

**LLC 'SAIKANG'**
454004, Russian Federation,
Chelyabinsk,
Universitetskaya
Naberezhnaya, Russia
TEL: +7 (919)300-00-06

### Mid East Branch

**Saikang Medical Supplies (Mid East) LLC**
Musaffah
P.O Box 53200, Abu Dhabi,
UAE
Tel: +971 585710652

SAIKANG Medical

Jiangsu Saikang Medical Equipment Co., Ltd.
STOCK CODE: 870098


No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China
+86 18021231901 · 24/7
export@saikangmedical.com
www.saikangmedical.com


Company video

General catalogue