SKB039(G)

STRETCHER TROLLEY



SAIKANG Medical

Healthier
your life

SKB039(G)

FEATURES AND HIGHLIGHTS



Technical parameters

▪ Unfolded Dimensions(L×W×H)	2000×560×1170mm (±10mm)
▪ Folded dimensions(L×W×H)	2000×560×380mm (±10mm)
▪ Length adjustment	1450-2000 mm
▪ Height adjustment 510mm, 600mm, 680mm, 770mm, 840mm, 900mm, 940mm, 990mm	
▪ Bed height	58cm±5
▪ Height adjustment range 51cm, 60cm, 68cm, 77cm, 84cm, 90cm, 94cm, 99cm	
▪ Backrest angle	0-75°(±5°)
▪ Leg angle	0-20°(±5°)
▪ X-type outriggers	
▪ Load capacity	⩽ 220KG
▪ Requires 2 operators	
▪ Main materials	Aluminum alloy

Technical configuration

☑ Casters:	6-inch wheels×4 with brakes
☑ Straps:	One chest plate with metal buckles; one leg strap
☑ Mattress(thickened sponge with waterproof PVC, thickness 100mm):	1 pc
☑ Telescopic salt water shelf(2-section, with a maximum adjustable length of 71cm):	1 unit
☑ Stretcher Fixing Lock:	1 set
☑ Oxygen cylinder bracket:	1pc

Product application: Suitable for hospitals, ambulances, fire departments, sports stadiums, and wilderness emergency transport.
Steel | Sheet metal | Stamping parts: It is made of high-quality aluminum alloy material, with small size, light weight, durability, and rust-free.
Paintwork: Electrostatic powder coating process, with a thickness of 60 microns.
Welding | Craftsmanship: Argon gas shielded welding process, with well-formed weld seams and smooth and clean surfaces.
Load-bearing: The maximum weight capacity is 200kg.



Design
It conforms to ergonomics and meets the patient's transfer needs. Its design is user-friendly, multifunctional and reliable.



Guardrail
The stretcher features a flip-type structure and is made of lightweight polymer plastic, allowing for easy lifting of patients. It can be folded for convenient transportation and storage.



Low-level chassis
The low-level chassis structure can move on the ground and be lifted for walking.



Components
The components are made of high-quality aluminum alloy, which is strong and durable.



Foldable leg
The X-shaped leg structure is more stable, and lifting is very lightweight.



Safety belt
The vest-style three-point safety belt ensures safe transportation.



Gas spring
It has eight levels of adjustment controlled by gas springs, with eight height adjustments for the legs and backrest to meet various emergency situations.



Mattress
The thick sponge with a concave design makes the patient more comfortable, with a PVC mattress that is waterproof, stain-resistant, and easy to clean. The thickness is 10cm.

Caster
It has 4*6 inch universal wheels with brakes, and the wheels are made of environmentally friendly PP material, which is shock-absorbing and wear-resistant.



IV pole
The humanized adjustable height and buckle-style folding design make it more convenient to use. The maximum adjustable length is 71cm.



Product video (scan / press QR code)



CONSTANT INNOVATION



Design



Research



Manufacturing



Maintenance



Service

WORLDWIDE BRANCHES

Portugal Showroom
Av. da Liberdade, nº 101
8150-101
São Brás de Alportel
Portugal
TEL: +351 289 090 212

Brazil Showroom
Rua Lauro Muller 116, Sala 1503 - Botafogo, Rio de Janeiro - RJ, 22290-160
E-mail: mehecobrasil@gmail.com

Indian Showroom
1460 M.I.E, Bahadurgarh, Haryana-124507, INDIA
TEL: +91 96677 70747
E-mail: ind@saikangmedical.com

China Headquarter
No.35 Lehong Road, Zhangjiagang City, Jiangsu Province, China.
TEL: +86 18021231901
E-mail: export@saikangmedical.com

South East Asia Branch
SAIKANG Medical (Thailand) Co., Ltd.
Ample Tower 909 Room 11/3 Debaratana Road, Bangna Nuea, Bangkok 10260 Thailand
TEL: +66-936-569469

US Branch
Healthward Technology, INC
17800 castleton st ste 180, Los Angeles
TEL: +1 (380) 254 4913

SAIKANG Medical

Jiangsu Saikang Medical Equipment Co., Ltd.
STOCK CODE: 870098

No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China
+86 18021231901 · 24/7
export@saikangmedical.com
www.saikangmedical.com

Company video

General catalogue