SKB041-7

PATIENT TRANSPORTATION TROLLEY

(BACKREST X-RAY)

Registration code: SKM-G



SAIKANG Medical

Healthier your life

SKB041-7

FEATURES AND HIGHLIGHTS



Technical parameters

Overall size	2200x770±10mm
Height adjustment range	550-860±10mm
Back-rest	0°-85°±5°
Leg-rest	0°-50°±5°
Trendelenburg	0°-15°±2°
Reversed Trendelenburg	0°-15°±2°
Static load	250kg
Dynamic load	135kg

Optional

- ☐ Oxygen Tanks Holder
- ☐ Paper Holder
- ☐ Foot-Board & Monitor Holder
- ☐ Monitor Holder
- ☐ Debris Basket
- ☐ Weighting System
- ☐ Pluggable Mobile IV pole

Technical configuration

☑ 80mm PU Mattress	1pc
☑ 8" Castors, Central Locking	4pcs
☑ Hydraulic Pumps	2pcs
☑ IV Pole	1set
☑ Back Angle Monitor	2pcs
☑ Integrated Wall Bunper Wheels	4pcs
☑ Half X-ray with Film Clip	1set
☑ Patient Restraints	2pcs
☑ PP Bottom Cover	1pc
☑ 5-speed Foldable Guardrail	1set
☑ Foot Pedals	1set
☑ 5th Directional Wheel	1pc

Design
Multi-functional, ergonomic, suitable for transporting and moving patients, and provide patients and medical staff comfortable experience.



Structure
Composed of the trolley body, two hydraulic cylinders, the back gas spring mechanism, the leg rocker mechanism and the foot pedal, these systems which can realize adjustment of trolley's position.



Plastic | Painting
Environmentally friendly plastic is non-toxic and tasteless, and can be sterilized at temperatures above 100°C.
Vivid color.



Hydraulic system
Two hydraulic cylinders provide strong support for the lifting and trendelenburg/reversed trendelenburg of the trolley.





Platform

The back bed plate is made of phenolic resin, which is X-ray transparent; The other three plates are made of powder coated steel.



X-ray holder

X-ray holder on the back.



Guardrail

Foldable high-strength 5-gears guardrail to maintain patient safety;
Guardrail use method: Open the guardrail switch, push guardrail to the direction of the leg; Pull up the guardrail, lock the guardrail with the guardrail switch, and keep the guardrail standing.



Bumper

4 built-in removable and durable bumper wheels, diameter 75mm±1mm.



Base cover

PP base cover which can place items and oxygen cylinder.



Castors

Four 200mm diameter central locking castors, the dust-proof can prevent hair into the caster to cause the inconvenience of movement, both sides with central locking casters, one pedal control all 4 castors.



The fifth wheel

The diameter of the fifth wheel is 125mm, which can control the trolley go straight when it is lowered, and the trolley can go in all directions when it is retracted.



IV Pole

IV Pole prevision in the head part, equipped with retractable stainless steel with 4 hooks.



Mattress stopper

Both the head and the end of the bed are equipped with mattress stopper to prevent the mattress from sliding.



Hand bars

Head of equipped with 2 hand bars for convenience of medical staff.

Product video (scan / press QR code)



Body strip
2 body straps.



Angle indicator
2 angle indicators inserted near the head and back of the trolley.



Mattress
8cm PU mattress.



Safe working load

250kg



Back-rest adjustment

85°



Knee-rest adjustment

50°



Height adjustment

550-860mm



Reverse trendelenburg

15°



Trendelenburg

15°

Options Accessories



Oxygen Tanks Holder
Vertical oxygen tank holder, which can be placed in 4 corners(removable).



Paper Holder
Head roll holder (removable).



Foot-Board&Monitor Holder
Removable insert plate & plastic instrument platform.



Monitor Holder
Phenolic resin instrument platform.



Debris Basket
Hanging basket(end part).



Weighting System
Weighing system (LCD display).



IV Pole
Removable mobile IV Pole.



CONSTANT INNOVATION



Design



Research



Manufacturing



Maintenance



Service

WORLDWIDE BRANCHES

South America Branch

Saikang Medical Technology, Inc
W3400 Corrientes, Argentina
TEL: +55 (11) 2758-0438
Rua Universal, Hollywood,
São Bernardo do Campo,
Brazil
TEL: +55 (11) 2758-0438

East Africa Branch

Saikang Medical Technology Ltd
Mezzanine Floor, Taj Tower,
upper hill, nairobi, Kenya
TEL: +254714084806

South East Asia Branch

Saikang Medical (Philippines) Company Limited
Manila, The Philippines
TEL: +63 953 044 7864

US Branch

Healthward Technology, INC
I7800 CASTLETON ST STE 180.
CITY OF INDUSTRY CA 91748
TEL: +1 (603)416-3063

Russia Branch

LLC 'SAIKANG'
454004, Russian Federation,
Chelyabinsk,
Universitetskaya
Naberezhnaya, Russia
TEL: +7 (919)300-00-06

Mid East Branch

Saikang Medical Supplies (Mid East) LLC
Musaffah
P.O Box 53200, Abu Dhabi,
UAE
Tel: +971 585710652

SAIKANG Medical

Jiangsu Saikang Medical Equipment Co., Ltd.
STOCK CODE: 870098

No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China
+86 18021231901 · 24/7
export@saikangmedical.com
www.saikangmedical.com

Company video

General catalogue