V3k

MANUAL BED

Registration code: SK-CD1



SAIKANG Medical

Healthier
your life

V3k



FEATURES AND HIGHLIGHTS



Technical parameters

External size (LxW):	2130x995 mm
Mattress platform:	1925x900 mm
Safe working load:	200 kg
Height adjustment:	420-730mm
Back-rest adjustment:	0-70° (±10°)
Knee-rest adjustment:	0-38° (±10°)

Technical configuration

☑ Manual crank	3 pcs
☑ 5'' covered castors	4 pcs
☑ Foldable side rail	1 set
☑ PP bed ends with safe lock with Φ65 bumper wheels	1 set
☑ PP bed platform with integrated mattress retainer	1 set
☑ IV pole 4 hooks	1 set
☑ IV pole prevision	4 pcs
☑ Drainage hook	2 pcs

Optional

- ☐ Auto-regression function (back section)
- ☐ Utility shelf
- ☐ Trapeze bracket/pole

Optional color (MOQ100pcs- color changing)

RAL 210 710 30

RAL 5023

RAL 6019

RAL 3015

Pale oak

White oak

Red oak

QUALITY CONTROL

SAIKANG medical, as a pioneer in the field of medical furniture, always choose branded suppliers strictly to ensure the safety and reliability of raw material. SAIKANG adopt robot welding, automatic epoxy coating. efficient assembly line, dedicated operator, rigorous quality control, only to guarantee SAIKANG's commitment on quality



Design

The unique germ-free design meets hospitals' strict infection control requirment. Seamless PP head and foot board and platform ensure the instant and sufficient sterilization.



Steels | welding

Baosteel from Fortune Global 500. Panasonic Robotic ensure 360° full smooth welding.



Plastic | Painting

Environmental plastic can be sterilized in 100°C，tensile upto 30MPa.
11 Process epoxy painting, ASTM testing anti-baterial, paint thickness 0.12mm, brightness 60°, paint can resist 50kg impact.

Accessories



Platform

Integrated PP bed platform, adopting advanced manufacturing technology.

4-5 section platform, enables independent installation and easy maintenance.

Enlarge the seat area when back part is raised, providing more comforts for the patients.

Reduce the depression of the sponge at the seat panel.



Castors

5" covered castors. TPR tire no worn out after running 10 km.

Anti-winding hard shell cover,united forming without bolts.

Pass dynamic test: pass obstacles 40000 times, under the standard 200kg load of the whole bed.

Head & Foot Board
LG Chem fresh PP material, Plug in type.
Equipped with the bumpers wheel, diameter 65mm, preventing collision.



Mattress Retainer
Platform integrated mattress retainer at the both sides of the back and leg section, with a boarder of 33mm height.

Guardrail
Aluminum alloy side rail, 6-staff, collapsed type with safe lock.



Wall bumper wheel
Horizontal corner bumpers at the outermost periphery of the bed to protect the bed and wall.

Drainage Hooks
Mobile plastic drainage hooks.



IV Pole
SS IV pole, bearing 15kg.





Back-rest adjustment

70°



Knee-rest adjustment

38°



Height adjustment

420-730mm

Product video (scan / press QR code)



CONSTANT INNOVATION



Design



Research



Manufacturing



Maintenance



Service

WORLDWIDE BRANCHES

South America Branch

Saikang Medical Technology, Inc
W3400 Corrientes, Argentina
TEL: +55 (11) 2758-0438
Rua Universal, Hollywood,
São Bernardo do Campo,
Brazil
TEL: +55 (11) 2758-0438

East Africa Branch

Saikang Medical Technology Ltd
Mezzanine Floor, Taj Tower,
upper hill, nairobi, Kenya
TEL: +254714084806

South East Asia Branch

Saikang Medical (Philippines) Company Limited
Manila, The Philippines
TEL: +63 953 044 7864

US Branch

Healthward Technology, INC
17800 CASTLETON ST STE 180.
CITY OF INDUSTRY CA 91748
TEL: +1 (603)416-3063

Russia Branch

LLC 'SAIKANG'
454004, Russian Federation,
Chelyabinsk,
Universitetskaya
Naberezhnaya, Russia
TEL: +7 (919)300-00-06

Mid East Branch

Saikang Medical Supplies (Mid East) LLC
Musaffah
P.O Box 53200, Abu Dhabi,
UAE
Tel: +971 585710652

SAIKANG Medical

Jiangsu Saikang Medical Equipment Co., Ltd.
STOCK CODE: 870098

No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China
+86 18021231901 · 24/7
export@saikangmedical.com
www.saikangmedical.com

Company video

General catalogue